

COMPUTER PROGRAMMING

CLASS MEMBERS

9TH WEEK LECTURE

엄현상(Eom, Hyeonsang)
School of Computer Science and Engineering
Seoul National University

Outline

- Class Scope
- Constructors and Destructors
- Copy Constructors
- const Members
- Member Initializer
- friend Functions and Classes
- Static Members
- Information Hiding and Abstract Data Types
- Q&A

Preprocessor Wrappers

- Prevents code from being included more than once

```
#ifndef TIME_H
```

```
#define TIME_H
```

```
... // code
```

```
#endif
```

- Prevents multiple-definition errors

Stream Manipulator **setfill**

- Specifies the fill character
 - When an output field wider than the number of digits in the output value
 - Appears to the left of the digits in the number
- Applies for all subsequent values

Time Class

```
#ifndef TIME_H
#define TIME_H
class Time {
public:
    Time();
    void setTime(int,int,int);
    void printUniversal();
    void printStandard();

private:
    int hour;
    int minute;
    int second;
};
#endif

=====

#include <iostream>
using std::cout;
#include <iomanip>
using std::setfill;
using std::setw;
#include "Time.h"
```

```
Time::Time()
{
    hour = minute = second = 0;
}

void Time::setTime( int h, int m, int s )
{
    ...
    second = ( s >= 0 && s < 60 ) ? s : 0;
}

void Time::printUniversal()
{
    cout << setfill( '0' );
    cout << setw( 2 ) << hour;
    ...
}

void Time::printStandard()
{
    cout << (( hour == 0 || hour == 12 ) ? 12 :
        hour % 12 ) << ":";
    ...
}
```

Time Class Cont'd

```
#include <iostream>
using std::cout;
using std::endl;

#include "Time.h"

int main()
{
    Time t;

    t.printUniversal();

    t.printStandard();

    t.setTime( 13, 27, 6 );

    t.printUniversal();

    t.printStandard();

    t.setTime( 99, 99, 99 );

    t.printUniversal();

    t.printStandard();

    cout << endl;

    return 0;
}
```

sizeof Operator for Classes

- Applying operator sizeof to a class name or to an object of that class
 - will report only the size of the class's data members
- The compiler creates one copy (only) of the member functions for all objects of the class
 - All objects of the class share this copy
- Each object needs its own copy of the class's data

Class Scope

- Class scope contains
- Data members (variables declared in the class definition)
 - Member functions (functions declared in the class definition)
 - Nonmember functions are defined at file scope
- Within a class's scope
 - Class members are accessible by all member functions
- Outside a class's scope
 - public class members are referenced through a handle
 - An object name, a reference to an object, or a pointer to an object

Class Scope Cont'd

- Variables declared in a member function
 - Have block scope
 - Known only to that function
- Hiding a class-scope variable
 - In a member function, define a variable with the same name as a variable with class scope
 - To access the hidden class-scope variable, use the scope resolution operator (::)

Class Scope Cont'd

- Dot member selection operator (.)
 - Accesses the object's members
 - Used with an object's name or with a reference to an object
- Arrow member selection operator (->)
 - Accesses the object's members
 - Used with a pointer to an object

Constructors with Default Arguments

- Can initialize data members to a consistent state
- Constructor that defaults all its arguments
 - A default constructor
 - Maximum of one default constructor per class
- Any change to the default argument values of a function requires the client code to be recompiled

Destructors

- A special member function
 - `~Time()`
- Called implicitly when an object is destroyed
 - When program execution leaves the scope in which that object was instantiated
 - Performs “termination housekeeping”
 - Then the system reclaims the object’s memory

Destructors Cont'd

- Receives no parameters and returns no value
 - May not specify a return type—not even void
- A class may have only one destructor
- If the programmer does not explicitly provide a destructor, the compiler creates an “empty” destructor

When Constructors and Destructors are Called?

- Called implicitly by the compiler
- In general, destructor calls are made in the reverse order of the corresponding constructor calls
- Storage classes of objects can alter the order in which destructors are called

Objects Defined in Global Scope

- Constructors are called before any other function (including main) in that file begins execution
- The corresponding destructors are called when main terminates
 - Function exit
 - Forces a program to terminate immediately
 - Often used to terminate a program when an error is detected
 - Function abort
 - Forces the program to terminate immediately without allowing the destructors of any objects to be called
 - Usually used to indicate an abnormal termination of the program

Automatic Objects

- Constructors and destructors are called each time execution enters and leaves the scope of the object
- Automatic object destructors are not called if the program terminates with an `exit` or `abort` function

Static Local Objects

- Constructor is called only once
 - When execution first reaches where the object is defined
- Destructor is called when main terminates or the program calls function exit
 - Destructor is not called if the program terminates with a call to function abort
- Global and static objects are destroyed in the reverse order of their creation

Class CreateAndDestroy

```
#include <string>
using std::string;

#ifndef CREATE_H
#define CREATE_H

class CreateAndDestroy
{
public:
    CreateAndDestroy( int, string );
    ~CreateAndDestroy();
private:
    int objectID;
    string message;
};

#endif
```

```
#include <iostream>
using std::cout;
using std::endl;

#include "CreateAndDestroy.h"

CreateAndDestroy::CreateAndDestroy( int
    ID, string messageString )
{
    objectID = ID;
    message = messageString;

    cout << "Object " << objectID;
    cout << "    constructor runs    ";
    cout << message << endl;
}

CreateAndDestroy::~~CreateAndDestroy()
{
    cout << "Object " << objectID;
    cout << "    destructor runs    ";
    cout << message << endl;
}
```

Class CreateAndDestroy Cont'd

```
#include <iostream>
using std::cout;
using std::endl;
#include "CreateAndDestroy.h"

void create( void );
CreateAndDestroy first( 1,
    "(global before main)" );

int main()
{
    cout << "EXECUTION BEGINS"
        << endl;
    CreateAndDestroy second( 2,
        "(local automatic in main)" );
    static CreateAndDestroy
        third( 3, "(local static in
            main)" );
    create();
    cout << "EXECUTION RESUMES"
        << endl;

    CreateAndDestroy fourth( 4,
        "(local automatic in main)" );
    cout << "EXECUTION ENDS"
        << endl;
    return 0;
}

void create( void )
{
    cout << "CREATE BEGINS"
        << endl;
    CreateAndDestroy fifth( 5,
        "(local automatic in
            create)" );
    static CreateAndDestroy
        sixth( 6, "(local static in
            create)" );
    CreateAndDestroy seventh( 7,
        "(local automatic in
            create)" );
    cout << "CREATE ENDS" << endl;
}
```

Class CreatAndDestroy Cont'd

1. Object 1 constructor runs
2. EXECUTION BEGINS
3. Object 2 constructor runs
4. Object 3 constructor runs
5. CREATE BEGINS
6. Object 5 constructor runs
7. Object 6 constructor runs
8. Object 7 constructor runs
9. CREATE ENDS
10. Object 7 destructor runs

1. Object 5 destructor runs
2. EXECUTION RESUMES
3. Object 4 constructor runs
4. EXECUTION ENDS
5. Object 4 destructor runs
6. Object 2 destructor runs
7. Object 6 destructor runs
8. Object 3 destructor runs
9. Object 1 destructor runs

Returning a Reference to an Object

- Alias for the name of an object
 - May be used on the left side of an assignment statement
 - A const reference cannot be used as a modifiable lvalue
- A public member function of a class returns a reference to a private data member of that class
 - Client code could alter private data
 - Same problem would occur if a pointer to private data were returned

Default Memberwise Assignment

- Assignment operator (=)
- Can be used to assign an object to another object of the same type
 - Each data member of the right object is assigned to the same data member in the left object
 - Shallow copy
- When data members contain pointers to dynamically allocated memory
 - May cause serious problems

Class Date

```
#ifndef DATE_H
#define DATE_H

class Date
{
public:
    Date( int = 1, int = 1, int
        = 2000 );
    void print();

private:
    int month;
    int day;
    int year;
};
#endif
```

```
#include <iostream>
using std::cout;
using std::endl;

#include "Date.h"

Date::Date( int m, int d, int
            y )
{
    month = m;
    day = d;
    year = y;
}

void Date::print()
{
    cout << month << '/'
        << day << '/' << year;
}
```

Class Date Cont'd

```
#include <iostream>
using std::cout;
using std::endl;

#include "Date.h"

int main()
{
    Date date1( 7, 4, 2004 );
    Date date2;

    cout << "date1 = ";
    date1.print();
    cout << "\ndate2 = ";
    date2.print();

    date2 = date1;

    date2.print();
    cout << endl;

    return 0;
}
```


Copy Constructors

- Enables pass-by-value for objects
 - Used to copy original object's values into new object to be passed to a function or returned from a function
- Compiler provides a default copy constructor
 - Copies each member of the original object into the corresponding member of the new object (i.e., memberwise assignment)
 - Shallow copy

Copy Constructors Cont'd

- When data members contain pointers to dynamically allocated memory
 - May cause serious problems
 - Need to have a deep copy
 - May need a destructor and operator=

Class Point

```
class Point
{
public:
    ...
    Point();
    Point(const Point& p);
    ...
private:
    int x;
    int y;
};
```

```
Point::Point(int px, int py)
{
    x = px;
    y = py;
}
```

```
Point::Point(const Point& p)
{
    x = p.x;
    y = p.y;
}
```

```
Point p(1,2); //constructor
Point q(3,4); //constructor
Point r(p);   //copy constructor
Point t = q;  //copy constructor
p = t;        //assignment
...
foo(p);       //copy constructor
...
```

Const Objects

- Keyword const
- The object is not modifiable
 - compilation errors
 - Attempts to modify the object are caught at compile time rather than causing execution-time errors
- A const object cannot be modified by assignment, so it must be initialized

Const Member Functions

- Only for const objects
- Not allowed to modify the object
- Specified as const both in its prototype and in its definition
- Not allowed for constructors and destructors
- Can be overloaded with a non-const version
 - The compiler chooses which overloaded member function to use based on the object on which the function is invoked

Class Time

```
class Time
{
public:
    Time( int = 0, int = 0, int = 0 );

    void setTime( int, int, int );
    void setHour( int );
    void setMinute( int );
    void setSecond( int );

    int getHour() const;
    int getMinute() const;
    int getSecond() const;

    void printUniversal() const;
    void printStandard(); // const

private:
    int hour;
    int minute;
    int second;
};
```

```
Time::Time( int hour, int minute, int
            second )
{
    setTime( hour, minute, second );
}

void Time::setTime( int hour, int
                  minute, int second )
{
    setHour( hour );
    setMinute( minute );
    setSecond( second );
}

void Time::setHour( int h )
{
    hour = ( h >= 0 && h < 24 ) ? h : 0;
}

void Time::setMinute( int m )
{
    minute = ( m >= 0 && m < 60 ) ? m :
              0;
}
```

Class Time Cont'd

```
void Time::setSecond( int s )
{
    second = ( s >= 0 && s < 60 ) ?
        s : 0;
}
```

```
int Time::getHour() const
{
    return hour;
}
```

```
int Time::getMinute() const
{
    return minute;
}
```

```
int Time::getSecond() const
{
    return second;
}
```

```
void Time::printUniversal() const
{
    cout << setfill( '0' )
        << setw( 2 ) << hour << ":"
        << setw( 2 ) << minute << ":"
        << setw( 2 ) << second;
}
```

```
void Time::printStandard() //
    const
{
    cout << ( ( hour == 0 || hour
        == 12 ) ? 12 : hour % 12 )
        << ":" << setfill( '0' )
        << setw( 2 ) << minute << ":"
        << setw( 2 ) << second
        << ( hour < 12 ? " AM" : "
        PM" );
}
```

Class Time Cont'd

```
int main()
{
    Time wakeUp(6,45,0);
    const Time noon(12,0,0);

    wakeUp.setHour( 18 );
    noon.setHour( 12 );
    wakeUp.getHour();
    noon.getMinute();
    noon.printUniversal();
    noon.printStandard();

    return 0;
}
```


Member_INITIALIZER

- Required for initializing,
 - Const data members
 - Data members that are references
- Can be used for any data member
- Member initializer list
 - Between a constructor's parameter list and the constructor's body
 - Separated from the parameter list with a colon (:)
 - The data member name followed by parentheses containing the member's initial value

Member_INITIALIZER

- Member initializer list
 - Multiple member initializers are separated by commas
 - Executes before the body of the constructor executes
- For a const data member of a class, a member initializer must be used to provide the constructor with the initial value of the data member for an object of the class
 - The same is true for references

Class Increment

```
class Increment
{
public:
    Increment(int c=0,int i=1);

    void addIncrement()
    {
        count += increment;
    }

    void print() const;

private:
    int    count;
    const int increment;
};
```

```
Increment::Increment( int c,
                    int i )
: count( c ),
  // initializer for
  // non-const member
  increment( i )
  // required initializer
  // for const member
{
}

void Increment::print() const
{
    cout << "count = "
         << count << ", increment = "
         << increment << endl;
}
```

Composition

- Has-a relationship
- A class can have objects of other classes as members
- Initializing member objects
 - Member initializers pass arguments from the object's constructor to member-object constructors
 - Member objects are constructed in the order in which they are declared in the class definition
 - Not in the order they are listed in the constructor's member initializer list
 - Before the enclosing class object (host object) is constructed

Class Date

```
class Date
{
public:
    Date( int = 1, int = 1, int =
        1900 );
    void print() const;
    ~Date();

private:
    int month;
    int day;
    int year;

    int checkDay( int ) const;
};
```

```
Date::Date( int mn, int dy, int
            yr )
{
    if ( mn > 0 && mn <= 12 )
        month = mn;
    else
    {
        month = 1;
        cout << "Invalid month (";
        cout << mn << ") set to
            1.\n";
    }
    year = yr;
    day = checkDay( dy );

    cout << "Date object
        constructor for date ";
    print();
    cout << endl;
}
```

Class Date Cont'd

```
void Date::print() const
{
    cout << month << '/' << day
         << '/' << year;
}
```

```
Date::~~Date()
{
    cout << "Date object
    destructor for date ";
    print();
    cout << endl;
}
```

```
int Date::checkDay( int testDay )
    const
{
    static const int
        daysPerMonth[ 13 ] =
        { 0, 31, 28, 31, 30, 31, 30,
          31, 31, 30, 31, 30, 31 };

    if ( testDay > 0 && testDay <=
        daysPerMonth[ month ] )
        return testDay;

    if ( month == 2 && testDay ==
        29 && ( year % 400 == 0 ||
        ( year % 4 == 0 && year %
        100 != 0 ) ) )
        return testDay;

    cout << "Invalid day ("
         << testDay << ") set to 1.\n";
    return 1;
}
```

Class Employee

```
class Employee
{
public:
    Employee( const char * const, const
              char * const,
              const Date &, const Date & );
    void print() const;
    ~Employee();

private:
    char firstName[ 25 ];
    char lastName[ 25 ];
    const Date birthDate;
    const Date hireDate;
};
```

```
Employee::Employee( const char * const
                    first, const char * const last,
                    const Date &dateOfBirth, const Date
                    &dateOfHire )
    : birthDate( dateOfBirth ),
      hireDate( dateOfHire )
{
    int length = strlen( first );
    length = ( length < 25 ? length :
              24 );
    strncpy( firstName, first, length );
    firstName[ length ] = '\0';

    length = strlen( last );
    length = ( length < 25 ? length :
              24 );
    strncpy( lastName, last, length );
    lastName[ length ] = '\0';

    cout << "Employee object constructor:
";
    cout << firstName << ' ' << lastName
         << endl;
}
```

Class Employee Cont'd

```
void Employee::print() const
{
    cout << lastName << ", "
        << firstName << " Hired: ";
    hireDate.print();
    cout << " Birthday: ";
    birthDate.print();
    cout << endl;
}

Employee::~Employee()
{
    cout << "Employee object
    destructor: " ;
    cout << lastName << ", "
        << firstName << endl;
}
```

```
int main()
{
    Date birth( 7, 24, 1949 );
    Date hire( 3, 12, 1988 );
    Employee manager( "Bob",
        "Blue", birth, hire );

    cout << endl;
    manager.print();

    cout << "\nTest Date
    constructor with invalid
    values:\n";
    Date lastDayOff( 14, 35,
        1994 );

    cout << endl;
    return 0;
}
```


Friend Functions and Classes of a Class

- Defined outside that class's scope
- Has the right to access the non-public and public members of that class
- Standalone functions or entire classes
- Can enhance performance
- The function prototype in the class definition preceded by keyword **friend**

Friend Functions and Classes of a Class Cont'd

- Member access notions of private, protected, and public are not relevant to friend declarations
 - Friend declarations can be placed anywhere in a class definition
- Place a declaration of the form “friend class Class2;” in the definition of class Class1
 - All member functions of class Class2 are friends of class Class1

Class Count

```
class Count
{
    friend void setX( Count &,
                    int );

public
    Count()
        : x( 0 )
    {
    }

    void print() const
    {
        cout << x << endl;
    }

private:
    int x;
};
```

```
void setX( Count &c, int val )
{
    c.x = val;
}

int main()
{
    Count counter;

    cout << "counter.x: ";
    counter.print();

    setX( counter, 8 );
    cout << "counter.x after
    call to setX friend
    function: ";
    counter.print();

    return 0;
}
```

Friend Functions and Classes of a Class Cont'd

- For class B to be a friend of class A, class A must explicitly declare (in its definition) that class B is its friend
- Friendship relation
 - Neither symmetric nor transitive
- It is possible to specify overloaded functions as friends of a class
 - Each overloaded function intended to be a friend must be explicitly declared as a friend of the class

this Pointer

- Access to an object itself through a pointer called this (keyword)
- this pointer is not part of the object itself
- Passed (by the compiler) as an implicit argument to each of the object's non-static member functions
- Implicit access when accessing members directly

Class Test

- Type of the this pointer
 - Depends on the type of the object and whether the executing member function is const

```
class Test
{
public:
    Test( int = 0 );
    void print() const;

private:
    int x;
};

Test::Test( int value )
    : x( value )
{
}

void Test::print() const
{
    cout << "x= " << x;
    cout << "\nthis->x=" << this->x;
    cout << "\n(*this).x="
    << ( *this ).x << endl;
}

int main()
{
    Test testObject( 12 );

    testObject.print();

    return 0;
}
```

Cascaded Member-Function Calls

- Enabled by member functions returning the dereferenced this pointer
- **t.setMinute(30).setSecond(22);**
 - Calls t.setMinute(30);
 - Then calls t.setSecond(22);

Class Time

```
class Time
{
public:
    Time( int = 0, int = 0, int = 0 );

    Time &setTime( int, int, int );
    Time &setHour( int );
    Time &setMinute( int );
    Time &setSecond( int );

    int getHour() const;
    int getMinute() const;
    int getSecond() const;

    void printUniversal() const;
    void printStandard() const;
private:
    int hour;
    int minute;
    int second;
};
```

```
Time::Time( int hr, int min, int sec )
{
    setTime( hr, min, sec );
}

Time &Time::setTime(int h, int m, int s)
{
    setHour( h );
    setMinute( m );
    setSecond( s );
    return *this;
}

Time &Time::setHour( int h )
{
    hour = ( h >= 0 && h < 24 ) ? h : 0;
    return *this;
}

Time &Time::setMinute( int m )
{
    minute = ( m >= 0 && m < 60 ) ? m : 0;
    return *this;
}
```


Class Time Cont'd

```
Time &Time::setSecond( int s )
{
    second = ( s >= 0 && s < 60 ) ?
        s : 0;
    return *this;
}

int Time::getHour() const
{
    return hour;
}

int Time::getMinute() const
{
    return minute;
}

int Time::getSecond() const
{
    return second;
}

void Time::printUniversal() const
{
    cout << setfill( '0' )
        << setw( 2 ) << hour << ":"
        << setw( 2 ) << minute
        << ":" << setw( 2 ) << second;
}

void Time::printStandard() const
{
    cout << ( ( hour == 0 || hour
        == 12 ) ? 12 : hour % 12 )
        << ":" << setfill( '0' )
        << setw( 2 ) << minute
        << ":" << setw( 2 )
        << second << ( hour < 12 ? "
        AM" : " PM" );
}
```

Class Time Cont'd

```
int main()
{
    Time t;

    t.setHour( 18 ).setMinute( 30 ).setSecond( 22 );

    cout << "Universal time: ";
    t.printUniversal();

    cout << "\nStandard time: ";
    t.printStandard();

    cout << "\n\nNew standard time: ";

    t.setTime( 20, 20,
        20 ).printStandard();
    cout << endl;

    return 0;
}
```

Dynamic Memory Management

- To allocate and deallocate memory for any built-in or user-defined type
 - Operators **new** and **delete**
- **new**
 - Allocates (i.e., reserves) storage of the proper size for an object at execution time
 - Calls a constructor to initialize the object
 - Returns a pointer of the type specified
 - Works for any fundamental type or any class type
- Heap

Dynamic Memory Management

Cont'd

- **delete**
 - Destroys a dynamically allocated object
 - Calls the destructor for the object
 - Deallocates (i.e., releases) memory from the free store
- Initializing an object allocated by `new`
 - Initializer for a newly created fundamental-type variable
`double *ptr = new double(3.14159);`
 - Specify a comma-separated list of arguments to the constructor of an object
`Time *timePtr = new Time(12, 45, 0);`

Dynamic Memory Management

Cont'd

- Allocating arrays dynamically

```
int *gradesArray = new int[ 10 ];
```

- Delete a dynamically allocated array:

```
delete [] gradesArray;
```

- This deallocates the array to which gradesArray points
- If the pointer points to an array of objects
 - First calls the destructor for every object in the array
 - Then deallocates the memory
- If the statement did not include the square brackets ([]) and gradesArray pointed to an array of objects
 - Only the first object in the array would have a destructor call
- After deleting dynamically allocated memory, set the pointer that referred to that memory to 0

static Data Member

- Only one copy of a variable shared by all objects of a class
 - Class-wide information
- Declaration begins with keyword static
- May seem like global variables but have class scope
- Can be declared public, private, or protected
- static data members of class types (i.e., static member objects) that have default constructors
 - Need not be initialized because their default constructors will be called

static Data Member Cont'd

- Fundamental-type static data members
 - Initialized by default to 0
 - A static data member can be initialized once (and only once)
- A const static data member of int or enum type
 - Can be initialized in its declaration in the class definition
- All other static data members
 - Must be defined at file scope (i.e., outside the body of the class definition)
 - Can be initialized only in those definitions

static Data Member Cont'd

- Exists even when no objects of the class exist
 - To access a public static class member when no objects of the class exist
 - Prefix the class name and the binary scope resolution operator (::)

Martian::martianCount

static Member Function

- Is a service of the class, not of a specific object of the class
- static applied to an item at file scope
 - That item becomes known only in that file
 - The static members of the class need to be available from any client code that accesses the file
 - We cannot declare them static in the .cpp file—we declare them static only in the .h file

static Member Function Cont'd

- Declare a member function static
 - If it does not access non-static data members or non-static member functions of the class
- Does not have a this pointer
- Static data members and static member functions exist independently of any objects of a class
 - When a static member function is called, there might not be any objects of its class in memory
- Sometimes it is recommended that all calls to static member functions be made using the class name
 - not an object handle
- A const static member function is a compilation error

Class Employee

```
#ifndef EMPLOYEE_H
#define EMPLOYEE_H
class Employee
{
public:
    Employee( const char * const,
              const char * const );
    ~Employee();
    const char *getFirstName()
        const;
    const char *getLastName()
        const;

    static int getCount();
private:
    char *firstName;
    char *lastName;

    static int count;
};
#endif

#include <iostream>
using std::cout;
using std::endl;

#include <cstring>
using std::strlen;
using std::strcpy;

#include "Employee.h"

int Employee::count = 0;

int Employee::getCount()
{
    return count;
}
```

Class Employee Cont'd

```
Employee::Employee( const char * const
    first, const char * const last )
{
    firstName = new char[ strlen( first )
        + 1 ];
    strcpy( firstName, first );

    lastName = new char[ strlen( last )
        + 1 ];
    strcpy( lastName, last );

    count++;

    cout << "Employee constructor for "
        << firstName << ' ' << lastName
        << " called." << endl;
}

const char *Employee::getFirstName()
    const
{
    return firstName;
}
```

```
Employee::~Employee()
{
    cout << "~Employee() called for "
        << firstName
        << ' ' << lastName << endl;

    delete [] firstName;
    delete [] lastName;

    count--;
}

const char *Employee::getLastName()
    const
{
    return lastName;
}
```

Class Employee Cont'd

```
#include <iostream>
using std::cout;
using std::endl;

#include "Employee.h"

int main()
{
    cout << "Number of employees before
        instantiation of any objects is "
        << Employee::getCount() << endl;

    Employee *e1Ptr = new
        Employee( "Susan", "Baker" );
    Employee *e2Ptr = new
        Employee( "Robert", "Jones" );

    cout << "Number of employees after
        objects are instantiated is "
        << e1Ptr->getCount();

    cout << "\n\nEmployee 1: "
        << e1Ptr->getFirstName() << " "
        << e1Ptr->getLastName()
        << "\nEmployee 2: "
        << e2Ptr->getFirstName() << " "
        << e2Ptr->getLastName() << "\n\n";

    delete e1Ptr;
    e1Ptr = 0;
    delete e2Ptr;
    e2Ptr = 0;

    cout << "Number of employees after
        objects are deleted is "
        << Employee::getCount() << endl;
    return 0;
}
```

Data Abstraction and Information Hiding

- Information Hiding
- Data abstraction
 - Client cares about what functionality a class offers, not about how that functionality is implemented
- Primary activities of object-oriented programming in C++
 - Creation of types (i.e., classes)
 - Expression of the interactions among objects of those types

Abstract data types (ADTs)

- Improve the program development process
- Representing real-world notions Types like int, double, char and others are all ADTs
 - e.g., int is an abstract representation of an integer
- Capture two notions:
 - Data representation
 - Operations that can be performed on the data

Array Abstract Data Type

- Many array operations not built into C++
 - e.g., subscript range checking
- Programmers can develop an array ADT as a class that is preferable to primitive arrays
- C++ Standard Library class template vector

Container Classes

- Collection classes
- Classes designed to hold collections of objects
- Services such as insertion, deletion, searching, sorting, and member testing
- Arrays, Vectors, Stacks, Queues, Trees, Linked lists

Iterators

- Iterator objects
- Commonly associated with container classes
- An object that walks through a collection, returning the next item (or performing some action on the next item)
- A container class can have several iterators operating on it at once
- Each iterator maintains its own position information

```
vector<int> v; // fill up v with data...  
vector<int>::iterator it;  
for ( it = v.begin(); it != v.end(); it++ ) {  
    cout << *it << endl;  
}
```